



OCTOBER
2026



Harvey TuffSpan®

PRODUCT BROCHURE



NATURAL STONE COATED CORRUGATED ROOF SHEETS



Rock your Roof!

Natural Stone Coated Roof Sheets

Harvey TuffSpan® combines the classic, versatile profile of corrugated steel with the legendary durability of Harvey's natural stone-coated finish. It offers superior protection against UV rays, heavy rain and extreme impact with never-fade, never-paint peace of mind.

Superior Weather Protection: The stone-coated surface acts as a barrier against UV degradation.


Never Paint: Because the rich colour is inherent to the natural stone granules themselves, it will never peel, flake or fade like traditional roof paint. You get a permanent, premium finish with no lifetime maintenance costs.

Acoustic Dampening: The textured stone layer significantly absorbs sound, drastically reducing the noise of rain or hail on the roof for a quieter interior.

Zero Glare & Thermal Comfort: Unlike reflective metallic sheets, the matte stone finish eliminates harsh sun glare while naturally diffusing heat under the African sun.

Harvey TuffSpan® transforms a purely functional corrugated profile into a highly sophisticated, architectural design feature.

Accessories




1. Gable

Barge Board Cover
Length: 1 718mm
Effective cover: 1 600mm
Height: 175mm
Width: 87mm
Edges: 10mm

2. Ridge

Roll-top ridge
20mm x 150mm x 340mm
Length: 1 730mm
Effective cover: 1 580mm length



Available in 4 Natural Stone Coat Colours



Greystone




Midnight Black



Light Brown



Dark Brown



Timeless Versatility

The traditional corrugated profile remains one of the most versatile shapes in architecture. Harvey TuffSpan leverages this classic geometry to offer unmatched design and installation flexibility:

Architectural Adaptability: Complements everything from contemporary high-end residential to modern urban developments and commercial projects.

Low Pitch Capabilities: Engineered for excellent water shedding, making it highly effective even on lower-pitched roof designs.



Natural Stone Coat

In the constant battle against the elements, nothing stands up to nature like solid rock.

Harvey TuffSpan® corrugated roof sheets consist of a steel substrate coated in natural stone. The natural, unpainted stone coating will not fade and never needs painting. It provides a naturally beautiful and durable barrier for decades of environmental onslaughts. Stone coated sheets are immune to discolouration and offer superior grit adhesion.

The lightweight steel-based roof sheets reduce the weight burden on roof structures. This allows for savings on structural timber and foundations.

Property / Specification	HARVEY TuffSpan 8.5/76 x 0.40mm Zinal AZ70	HARVEY TuffSpan 10.5/76 x 0.30mm Galv Z60
General Description	Corrugated steel roofing, coated with natural stone	Corrugated steel roofing, coated with natural stone
Base Material	High tensile steel, ISQ 550, 550 MPa	High tensile steel, ISQ 550, 550 MPa
Protective Coating	Zinc-aluminium alloy coating AZ70 (70 g/m ²)	Galvanised coating Z60 (60 g/m ²)
Colour Range	Midnight Black, Greystone, Dark Brown, Light Brown	Midnight Black, Greystone, Dark Brown, Light Brown
Profile	8.5/76 Corrugated	10.5/76 Corrugated
Nominal Cover Width	610 mm	762 mm
Corrugation Pitch	76 mm	76 mm
Corrugation Depth	18 mm	18 mm
Substrate Thickness	0.40 mm	0.30 mm
Total Coated Thickness	Approx. 1.6 mm TCT	Approx. 1.5 mm TCT
Standard Length	4.2 m	3.6 m
Cover Area	2.562 m ² per 4.2 m sheet	2.743 m ² per 3.6 m sheet
Approximate Weight (TCT)	14 kg per 4.2 m sheet	12 kg per 3.6 m sheet
Accessories	Roll-top ridge, closures, barge board cover	Roll-top ridge, closures, barge board cover
Minimum Roof Pitch	10°	10°
Recommended Purlin Spacing	400 - 500 mm	400 - 500 mm

Walkability: The purlin spacings provided herein are intended solely as a general guide. HRP accepts no responsibility or liability for product failure, damage to sheets, or any defects arising from foot traffic, handling, storage, or installation practices. It remains the responsibility of the installer to ensure appropriate methods are applied to prevent damage.



Harvey Roofing Products

A Division of Macsteel Service Centres SA (Pty) Ltd.

Tel: +27 11 741 5600

info@harveyroofingproducts.co.za

www.harveyroofingproducts.co.za

